Claims

What is claimed is:

- 1. An isolated, purified, or recombinant nucleic acid comprising a polyketide modifying gene, wherein said gene encodes a polyketide modifying enzyme selected from the group consisting of MegR, MegF, MegK, MegCIV, MegCV, MegBVI, MegBIII, MegL, and MegM enzymes.
- 2. The nucleic acid of Claim 1, wherein said gene encodes a polyketide modifying enzyme selected from the group consisting of MegR, MegCV, MegCIV, and MegBVI.
- 3. The nucleic acid of Claim 1, wherein said gene encodes a polyketide modifying enzyme selected from the group consisting of MegF, MegBIII, MegM, and MegL.
- 4. An isolated, purified, or recombinant nucleic acid comprising genes for the biosynthesis of mycarose for attachment to a polyketide, said enzymes comprising the MegM, MegBII, MegBIV, MegBIV, MegBII-2, and MegBVI enzymes.
- 5. The nucleic acid of Claim 4 further comprising a gene encoding an enzyme for the attachment of mycarose to the polyketide.
- 6. The nucleic acid of Claim 5 wherein the enzyme for the attachment of mycarose to the polyketide is the MegBV enzyme.
- 7. The nucleic acid of Claim 4 further comprising a gene encoding an enzyme for hydroxylation of the polyketide.
- 8. The nucleic acid of Claim 7 wherein the enzyme for hydroxylation of the polyketide is the MegF enzyme.
- 9. The nucleic acid of Claim 5 further comprising a gene encoding an enzyme for hydroxylation of the polyketide.

- 10. The nucleic acid of Claim 9 wherein the enzyme for hydroxylation of the polyketide is the MegF enzyme.
- An isolated, purified, or recombinant nucleic acid comprising genes encoding enzymes for the biosynthesis and attachment of megosamine to a polyketide, said enzymes comprising the MegM, MegL, MegCII, MegBVI, MegDIV, MegDV, MegDII, MegDIII, and MegDI enzymes.
- 12. An isolated, purified, or recombinant nucleic acid comprising genes encoding enzymes for the biosynthesis of desosamine to a polyketide, said enzymes consisting of the MegM, MegL, MegCII, MegCIV, MegCV, MegDII, and MegDIII enzymes.
- 13. The nucleic acid of Claim 12 further comprising a gene encoding an enzyme for the attachment of desosamine to the polyketide.
- 14. The nucleic acid of Claim 13 wherein the enzyme for the attachment of desosamine to the polyketide is the MegCIII enzyme.
- 15. The nucleic acid of claim 1, wherein the polyketide modifying gene is operably linked to a heterologous promoter.
 - 16. An expression vector comprising the nucleic acid of claim 1.
 - 17. A host cell comprising the nucleic acid of claim 1.
- 18. A host cell comprising the nucleic acid of claim 4 that expresses a polyketide modifying enzyme encoded by a gene from a mycarose biosynthetic gene set, wherein the enzyme is selected from the group consisting of MegM, MegL, MegBIII, MegBIV, MegDIV, MegBII-2, and MegBVI, Meg BV and MegF.

- 19. A host cell comprising the nucleic acid of claim 11 that expresses a polyketide modifying enzyme encoded by a gene from a megosamine biosynthetic gene set, wherein the enzyme is selected from the group consisting of MegM, MegL, MegCII, MegBVI, MegDIV, MegDVI, MegDVI, MegDVI, MegDVI, MegDVI, MegDII, and MegDI.
- 20. A host cell comprising the nucleic acid of claim 12 that expresses a polyketide modifying enzyme encoded by a gene from a desosamine biosynthetic gene set, wherein the enzyme is selected from the group consisting of MegM, MegL, MegCII, MegCIV, MegCV, MegDII, and MegDIII, and MegCIII.
- 21. A method of producing a modified polyketide, said method comprising culturing a recombinant cell comprising a nucleic acid of claim 1 under conditions in which the cell expresses a product of a gene encoded by the nucleic acid of claim 1, and under conditions in which the unmodified polyketide is present, thereby producing the modified polyketide.
- 22. The method of claim 21 wherein said cell further comprises a recombinant nucleic acid encoding at least one module of a polyketide synthase.
- 23. The method of claim 21 wherein the cell produces megosamine and can attach megosamine to a polyketide, wherein said cell, in its naturally occurring non-recombinant state cannot produce megosamine.